

MPI Chem 500 Volume Chart

Note: The volume will vary $\pm 3\%$ due to variations in conditions prevalent during manufacture

Height (in)	Height (cm)	Imp Gal	US Gal	Liters	M ³	Imp BB	US BB
9/16							
5/8							
11/16	1.75						
3/4							
13/16							
7/8	2.25						
15/16							
1	2.50						
1 1/16	2.75			5			
1 1/8							
1 3/16	3.00						
1 1/4			2				
1 5/16							
1 3/8	3.50	2					
1 7/16							
1 1/2	3.75						
1 9/16	4.00						
1 5/8							
1 11/16	4.25						
1 3/4	4.50		4	15			
1 13/16							
1 7/8	4.75	4					
1 15/16							
2							
2 1/16	5.25						
2 1/8			6				
2 3/16	5.50						
2 1/4	5.75			25			
2 5/16		6					
2 3/8	6.00						
2 7/16	6.25		8				
2 1/2							
2 9/16	6.50						
2 5/8							
2 11/16				35			
2 3/4	7.00	8					
2 13/16			10				
2 7/8	7.25						0.25
2 15/16	7.50					0.25	
3							
3 1/16	7.75	10	12	45			
3 1/8	8.00						
3 3/16							

MPI Chem 500 Volume Chart

Note: The volume will vary $\pm 3\%$ due to variations in conditions prevalent during manufacture

Height (in)	Height (cm)	Imp Gal	US Gal	Liters	M ³	Imp BB	US BB
3 1/4	8.25						
3 5/16							
3 3/8			14				
3 7/16	8.75	12		55			
3 1/2							
3 9/16	9.00						
3 5/8	9.25		16				
3 11/16							
3 3/4	9.50	14					
3 13/16				65			
3 7/8			18				
3 15/16	10.00						
4							
4 1/16		16					
4 1/8	10.50		20	75			
4 3/16							
4 1/4	10.75						0.5
4 5/16	11.00	18				0.5	
4 3/8			22				
4 7/16	11.25			85			
4 1/2							
4 9/16							
4 5/8	11.75	20	24				
4 11/16							
4 3/4				95			
4 13/16	12.25						
4 7/8		22	26				
4 15/16	12.50						
5	12.75						
5 1/16			28	105			
5 1/8	13.00						
5 3/16		24					
5 1/4							
5 5/16	13.50		30	115			
5 3/8							
5 7/16	13.75	26					0.75
5 1/2	14.00		32				
5 9/16						0.75	
5 5/8	14.25			125			
5 11/16	14.50	28	34				
5 3/4							
5 13/16	14.75						
5 7/8				135			

MPI Chem 500 Volume Chart

Note: The volume will vary $\pm 3\%$ due to variations in conditions prevalent during manufacture

Height (in)	Height (cm)	Imp Gal	US Gal	Liters	M ³	Imp BB	US BB
5 15/16		30	36				
6	15.25						
6 1/16							
6 1/8	15.50		38	145			
6 3/16	15.75	32					
6 1/4							
6 5/16	16.00		40				
6 3/8	16.25	34					
6 7/16				155			
6 1/2	16.50		42				1
6 9/16							
6 5/8		36				1	
6 11/16	17.00		44	165			
6 3/4							
6 13/16	17.25						
6 7/8	17.50	38	46				
6 15/16				175			
7	17.75						
7 1/16	18.00	40	48				
7 1/8							
7 3/16	18.25			185			
7 1/4			50				
7 5/16		42					
7 3/8	18.75			195			
7 7/16			52				
7 1/2	19.00	44					1.25
7 9/16	19.25						
7 5/8			54	205		1.25	
7 11/16	19.50						
7 3/4		46					
7 13/16			56				
7 7/8	20.00			215			
7 15/16		48					
8			58				
8 1/16	20.50						
8 1/8		50	60	225			
8 3/16	20.75						
8 1/4	21.00						
8 5/16			62	235			
8 3/8	21.25	52					1.5
8 7/16							
8 1/2			64				
8 9/16	21.75	54		245		1.5	

MPI Chem 500 Volume Chart

Note: The volume will vary ±3% due to variations in conditions prevalent during manufacture

Height (in)	Height (cm)	Imp Gal	US Gal	Liters	M ³	Imp BB	US BB
8 5/8							
8 11/16			66		0.25		
8 3/4	22.25	56		255			
8 13/16			68				
8 7/8	22.50						
8 15/16	22.75	58					
9			70	265			
9 1/16	23.00						
9 1/8			72				
9 3/16		60		275			
9 1/4	23.50						1.75
9 5/16			74				
9 3/8		62					
9 7/16	24.00			285		1.75	
9 1/2			76				
9 9/16	24.25	64					
9 5/8	24.50		78	295			
9 11/16							
9 3/4	24.75	66					
9 13/16			80	305			
9 7/8							
9 15/16	25.25	68	82				
10							
10 1/16	25.50			315			
10 1/8	25.75	70	84				2
10 3/16							
10 1/4	26.00		86	325			
10 5/16	26.25	72				2	
10 3/8							
10 7/16	26.50		88	335			
10 1/2		74					
10 9/16			90				
10 5/8	27.00						
10 11/16		76		345			
10 3/4	27.25		92				
10 13/16	27.50						
10 7/8		78	94	355			
10 15/16	27.75						2.25
11	28.00		96				
11 1/16		80		365			
11 1/8	28.25					2.25	
11 3/16		82	98				
11 1/4				375			

MPI Chem 500 Volume Chart

Note: The volume will vary $\pm 3\%$ due to variations in conditions prevalent during manufacture

Height (in)	Height (cm)	Imp Gal	US Gal	Liters	M ³	Imp BB	US BB
11 5/16	28.75		100				
11 3/8		84					
11 7/16	29.00			385			
11 1/2	29.25		102				
11 9/16		86					
11 5/8	29.50		104	395			
11 11/16							2.5
11 3/4		88	106				
11 13/16	30.00			405			
11 7/8							
11 15/16		90	108			2.5	
12	30.50			415			
12 1/16		92	110				
12 1/8	30.75						
12 3/16	31.00		112	425			
12 1/4		94					
12 5/16	31.25		114				
12 3/8				435			
12 7/16		96					2.75
12 1/2	31.75		116				
12 9/16				445			
12 5/8		98	118				
12 11/16	32.25					2.75	
12 3/4		100	120	455			
12 13/16	32.50						
12 7/8	32.75						
12 15/16		102	122	465			
13	33.00						
13 1/16			124				
13 1/8		104		475			
13 3/16	33.50		126				3
13 1/4		106					
13 5/16			128	485			
13 3/8	34.00						
13 7/16		108	130			3	
13 1/2	34.25			495			
13 9/16	34.50						
13 5/8		110	132		0.5		
13 11/16	34.75			505			
13 3/4		112	134				
13 13/16							
13 7/8	35.25		136	515			
13 15/16		114					3.25

MPI Chem 500 Volume Chart

Note: The volume will vary $\pm 3\%$ due to variations in conditions prevalent during manufacture

Height (in)	Height (cm)	Imp Gal	US Gal	Liters	M ³	Imp BB	US BB
14	35.50		138				
14 1/16	35.75			525			
14 1/8		116	140				
14 3/16	36.00					3.25	
14 1/4	36.25	118	142	535			
14 5/16							
14 3/8	36.50						
14 7/16		120	144	545			
14 1/2							
14 9/16	37.00	122	146	555			
14 5/8							3.5
14 11/16	37.25		148				
14 3/4	37.50	124		565			
14 13/16			150				
14 7/8	37.75	126				3.5	
14 15/16	38.00		152	575			
15							
15 1/16	38.25	128	154				
15 1/8				585			
15 3/16			156				
15 1/4	38.75	130					
15 5/16			158	595			3.75
15 3/8	39.00	132					
15 7/16	39.25			605			
15 1/2			160				
15 9/16	39.50	134					
15 5/8	39.75		162	615		3.75	
15 11/16		136					
15 3/4	40.00		164				
15 13/16				625			
15 7/8		138	166				
15 15/16	40.50						
16		140	168	635			4
16 1/16	40.75						
16 1/8	41.00		170	645			
16 3/16		142					
16 1/4	41.25		172				
16 5/16		144		655		4	
16 3/8			174				
16 7/16	41.75	146					
16 1/2			176	665			
16 9/16							
16 5/8	42.25	148	178				

MPI Chem 500 Volume Chart

Note: The volume will vary ±3% due to variations in conditions prevalent during manufacture

Height (in)	Height (cm)	Imp Gal	US Gal	Liters	M ³	Imp BB	US BB
16 11/16				675			4.25
16 3/4	42.50	150	180				
16 13/16	42.75			685			
16 7/8			182				
16 15/16	43.00	152					
17			184	695		4.25	
17 1/16		154					
17 1/8	43.50		186				
17 3/16				705			
17 1/4		156	188				
17 5/16	44.00			715			4.5
17 3/8		158	190				
17 7/16	44.25						
17 1/2	44.50		192	725			
17 9/16		160					
17 5/8	44.75		194				
17 11/16		162		735		4.5	
17 3/4			196				
17 13/16	45.25	164		745			
17 7/8			198				
17 15/16	45.50				0.75		
18	45.75	166	200	755			4.75
18 1/16							
18 1/8	46.00	168	202				
18 3/16	46.25			765			
18 1/4			204				
18 5/16	46.50	170		775			
18 3/8			206			4.75	
18 7/16		172					
18 1/2	47.00		208	785			
18 9/16		174					
18 5/8	47.25		210	795			5
18 11/16	47.50						
18 3/4		176	212				
18 13/16	47.75			805			
18 7/8	48.00	178	214				
18 15/16							
19	48.25	180	216	815		5	
19 1/16							
19 1/8			218	825			
19 3/16	48.75	182					
19 1/4			220				
19 5/16	49.00	184		835			5.25

MPI Chem 500 Volume Chart

Note: The volume will vary $\pm 3\%$ due to variations in conditions prevalent during manufacture

Height (in)	Height (cm)	Imp Gal	US Gal	Liters	M ³	Imp BB	US BB
19 3/8	49.25		222				
19 7/16				845			
19 1/2	49.50	186	224				
19 9/16	49.75						
19 5/8		188	226	855			
19 11/16	50.00					5.25	
19 3/4		190	228				
19 13/16				865			
19 7/8	50.50		230				
19 15/16		192		875			5.5
20	50.75		232				
20 1/16	51.00	194					
20 1/8			234	885			
20 3/16	51.25	196					
20 1/4			236	895			
20 5/16							
20 3/8	51.75	198	238			5.5	
20 7/16				905			
20 1/2		200	240				
20 9/16	52.25			915			5.75
20 5/8		202	242				
20 11/16	52.50						
20 3/4	52.75		244	925			
20 13/16		204					
20 7/8	53.00		246				
20 15/16		206	248	935			
21						5.75	
21 1/16	53.50	208	250	945			
21 1/8							
21 3/16			252				6
21 1/4	54.00	210		955			
21 5/16			254				
21 3/8	54.25	212		965			
21 7/16	54.50		256				
21 1/2		214					
21 9/16	54.75		258	975			
21 5/8		518		2355	2.5	14.5	15
21 11/16		216	260	985		6	
21 3/4	55.25						
21 13/16		218	262				6.25
21 7/8				995			
21 15/16	55.75	220	264		1		
22				1005			

MPI Chem 500 Volume Chart

Note: The volume will vary $\pm 3\%$ due to variations in conditions prevalent during manufacture

Height (in)	Height (cm)	Imp Gal	US Gal	Liters	M ³	Imp BB	US BB
22 1/16	56.00	222	266				
22 1/8	56.25						
22 3/16			268	1015			
22 1/4	56.50	224					
22 5/16			270	1025		6.25	
22 3/8		226					
22 7/16	57.00		272				6.5
22 1/2		228	274	1035			
22 9/16	57.25						
22 5/8	57.50		276	1045			
22 11/16		230					
22 3/4	57.75		278				
22 13/16	58.00	232		1055			
22 7/8			280				
22 15/16	58.25	234		1065		6.5	
23			282				
23 1/16		236					
23 1/8	58.75		284	1075			6.75
23 3/16							
23 1/4	59.00	238	286	1085			
23 5/16	59.25						
23 3/8		240	288				
23 7/16	59.50			1095			
23 1/2	59.75	242	290				
23 9/16						6.75	
23 5/8	60.00		292	1105			
23 11/16		244					
23 3/4			294	1115			7
23 13/16	60.50	246	296				
23 7/8							
23 15/16	60.75	248	298	1125			
24	61.00						
24 1/16		250	300	1135			
24 1/8	61.25						
24 3/16			302				
24 1/4		252		1145		7	
24 5/16	61.75		304				7.25
24 3/8		254		1155			
24 7/16			306				
24 1/2	62.25	256					
24 9/16			308	1165			
24 5/8	62.50						
24 11/16	62.75	258	310	1175			

MPI Chem 500 Volume Chart

Note: The volume will vary $\pm 3\%$ due to variations in conditions prevalent during manufacture

Height (in)	Height (cm)	Imp Gal	US Gal	Liters	M ³	Imp BB	US BB
24 3/4							
24 13/16	63.00	260	312				
24 7/8				1185		7.25	
24 15/16		262	314				7.5
25	63.50		316	1195			
25 1/16		264					
25 1/8			318				
25 3/16	64.00			1205			
25 1/4		266	320				
25 5/16	64.25			1215			
25 3/8	64.50	268	322				
25 7/16							
25 1/2	64.75	270	324	1225		7.5	
25 9/16							7.75
25 5/8			326	1235			
25 11/16	65.25	272					
25 3/4			328				
25 13/16		274		1245			
25 7/8	65.75		330		1.25		
25 15/16		276		1255			
26	66.00		332				
26 1/16	66.25	278					
26 1/8			334	1265			
26 3/16	66.50		336			7.75	8
26 1/4		280		1275			
26 5/16			338				
26 3/8	67.00	282					
26 7/16			340	1285			
26 1/2	67.25	284					
26 9/16	67.50		342	1295			
26 5/8							
26 11/16	67.75	286	344				
26 3/4	68.00			1305			
26 13/16		288	346			8	8.25
26 7/8	68.25			1315			
26 15/16		290	348				
27							
27 1/16	68.75	292	350	1325			
27 1/8							
27 3/16	69.00		352	1335			
27 1/4	69.25	294					
27 5/16			354				
27 3/8	69.50	296		1345			

MPI Chem 500 Volume Chart

Note: The volume will vary $\pm 3\%$ due to variations in conditions prevalent during manufacture

Height (in)	Height (cm)	Imp Gal	US Gal	Liters	M ³	Imp BB	US BB
27 7/16	69.75		356			8.25	
27 1/2		298	358	1355			8.5
27 9/16	70.00						
27 5/8			360				
27 11/16		300		1365			
27 3/4	70.50		362				
27 13/16		302					
27 7/8	70.75		364	1375			
27 15/16	71.00	304					
28			366	1385			
28 1/16	71.25						
28 1/8	71.50	306	368			8.5	8.75
28 3/16				1395			
28 1/4	71.75	308	370				
28 5/16				1405			
28 3/8		310	372				
28 7/16	72.25						
28 1/2			374	1415			
28 9/16	72.50	312					
28 5/8	72.75		376	1425			
28 11/16		314					
28 3/4	73.00		378			8.75	9
28 13/16		316		1435			
28 7/8			380				
28 15/16	73.50			1445			
29		318	382				
29 1/16							
29 1/8	74.00	320	384	1455			
29 3/16			386				
29 1/4	74.25	322		1465			
29 5/16	74.50		388				
29 3/8							9.25
29 7/16	74.75	324	390	1475		9	
29 1/2							
29 9/16		326	392				
29 5/8	75.25			1485			
29 11/16		328	394				
29 3/4				1495			
29 13/16	75.75		396		1.5		
29 7/8		330					
29 15/16	76.00		398	1505			
30	76.25	332					9.5
30 1/16			400	1515		9.25	

MPI Chem 500 Volume Chart

Note: The volume will vary ±3% due to variations in conditions prevalent during manufacture

Height (in)	Height (cm)	Imp Gal	US Gal	Liters	M ³	Imp BB	US BB
30 1/8	76.50	334					
30 3/16			402				
30 1/4				1525			
30 5/16	77.00	336	404				
30 3/8							
30 7/16	77.25	338	406	1535			
30 1/2	77.50						
30 9/16		340	408	1545			
30 5/8	77.75						9.75
30 11/16	78.00		410				
30 3/4		342		1555		9.5	
30 13/16	78.25		412				
30 7/8		344		1565			
30 15/16			414				
31	78.75	346					
31 1/16			416	1575			
31 1/8	79.00						
31 3/16	79.25	348	418				
31 1/4				1585			
31 5/16	79.50	350	420				10
31 3/8	79.75			1595		9.75	
31 7/16			422				
31 1/2	80.00	352					
31 9/16			424	1605			
31 5/8		354					
31 11/16	80.50		426				
31 3/4		356		1615			
31 13/16	80.75		428				
31 7/8	81.00			1625			
31 15/16		358	430				10.25
32	81.25						
32 1/16	81.50	360	432	1635		10	
32 1/8							
32 3/16	81.75		434				
32 1/4		362		1645			
32 5/16			436				
32 3/8	82.25	364		1655			
32 7/16			438				
32 1/2	82.50						
32 9/16	82.75	366	440	1665			
32 5/8							10.5
32 11/16	83.00	368	442				
32 3/4				1675		10.25	

MPI Chem 500 Volume Chart

Note: The volume will vary ±3% due to variations in conditions prevalent during manufacture

Height (in)	Height (cm)	Imp Gal	US Gal	Liters	M ³	Imp BB	US BB
32 13/16		370	444				
32 7/8	83.50			1685			
32 15/16			446				
33		372					
33 1/16	84.00		448	1695			
33 1/8		374					
33 3/16	84.25		450				
33 1/4	84.50			1705			
33 5/16		376	452				10.75
33 3/8	84.75			1715			
33 7/16		378	454			10.5	
33 1/2							
33 9/16	85.25		456	1725			
33 5/8		380					
33 11/16							
33 3/4	85.75	382	458	1735			
33 13/16							
33 7/8	86.00		460				
33 15/16	86.25	384		1745			
34			462		1.75		11
34 1/16	86.50	386		1755			
34 1/8			464				
34 3/16						10.75	
34 1/4	87.00	388	466	1765			
34 5/16							
34 3/8		390	468				
34 7/16	87.50			1775			
34 1/2			470				
34 9/16	87.75	392					
34 5/8	88.00		472	1785			
34 11/16							11.25
34 3/4	88.25	394	474				
34 13/16				1795			
34 7/8		396				11	
34 15/16	88.75		476	1805			
35							
35 1/16	89.00	398	478				
35 1/8	89.25			1815			
35 3/16		400	480				
35 1/4	89.50						
35 5/16	89.75		482	1825			
35 3/8		402					11.5
35 7/16	90.00		484				

MPI Chem 500 Volume Chart

Note: The volume will vary ±3% due to variations in conditions prevalent during manufacture

Height (in)	Height (cm)	Imp Gal	US Gal	Liters	M ³	Imp BB	US BB
35 1/2				1835			
35 9/16		404	486				
35 5/8	90.50					11.25	
35 11/16		406		1845			
35 3/4	90.75		488				
35 13/16	91.00						
35 7/8		408	490	1855			
35 15/16	91.25						
36	91.50	410	492				
36 1/16				1865			
36 1/8	91.75		494				11.75
36 3/16		412					
36 1/4			496	1875			
36 5/16	92.25						
36 3/8		414				11.5	
36 7/16	92.50		498	1885			
36 1/2	92.75	416					
36 9/16			500				
36 5/8	93.00			1895			
36 11/16		418	502				
36 3/4							
36 13/16	93.50		504	1905			12
36 7/8		420					
36 15/16							
37	94.00		506	1915			
37 1/16		422					
37 1/8	94.25		508			11.75	
37 3/16	94.50	424		1925			
37 1/4			510				
37 5/16	94.75						
37 3/8		426		1935			
37 7/16			512				
37 1/2	95.25						
37 9/16		428	514	1945			12.25
37 5/8							
37 11/16	95.75		516				
37 3/4		430		1955			
37 13/16	96.00						
37 7/8	96.25		518				
37 15/16		432		1965		12	
38	96.50		520				
38 1/16		434					
38 1/8			522	1975			

MPI Chem 500 Volume Chart

Note: The volume will vary $\pm 3\%$ due to variations in conditions prevalent during manufacture

Height (in)	Height (cm)	Imp Gal	US Gal	Liters	M ³	Imp BB	US BB
38 3/16	97.00						
38 1/4		436					
38 5/16			524	1985			
38 3/8	97.50						12.5
38 7/16		438	526				
38 1/2	97.75			1995			
38 9/16	98.00		528				
38 5/8		440			2		
38 11/16	98.25			2005		12.25	
38 3/4			530				
38 13/16		442					
38 7/8	98.75		532				
38 15/16				2015			
39	99.00	444					
39 1/16	99.25		534				
39 1/8				2025			
39 3/16	99.50	446	536				12.75
39 1/4	99.75						
39 5/16				2035			
39 3/8	100.00	448	538				
39 7/16							
39 1/2			540				
39 9/16	100.50	450		2045		12.5	
39 5/8							
39 11/16	100.75		542				
39 3/4	101.00	452		2055			
39 13/16			544				
39 7/8	101.25						
39 15/16	101.50	454		2065			
40			546				13
40 1/16	101.75						
40 1/8		456					
40 3/16			548	2075			
40 1/4	102.25						
40 5/16		458	550				
40 3/8	102.50			2085			
40 7/16	102.75					12.75	
40 1/2		460	552				
40 9/16	103.00						
40 5/8	103.25		554	2095			
40 11/16							
40 3/4	103.50	462					
40 13/16			556	2105			

MPI Chem 500 Volume Chart

Note: The volume will vary $\pm 3\%$ due to variations in conditions prevalent during manufacture

Height (in)	Height (cm)	Imp Gal	US Gal	Liters	M ³	Imp BB	US BB
40 7/8							13.25
40 15/16	104.00	464					
41			558				
41 1/16	104.25			2115			
41 1/8	104.50	466					
41 3/16			560				
41 1/4	104.75			2125			
41 5/16		468	562			13	
41 3/8							
41 7/16	105.25						
41 1/2			564	2135			
41 9/16		470					
41 5/8	105.75						
41 11/16			566				
41 3/4	106.00	472		2145			13.5
41 13/16	106.25						
41 7/8			568				
41 15/16	106.50						
42		474		2155			
42 1/16			570				
42 1/8	107.00						
42 3/16		476					
42 1/4			572	2165			
42 5/16	107.50					13.25	
42 3/8							
42 7/16	107.75	478	574	2175			
42 1/2	108.00						
42 9/16							
42 5/8	108.25	480	576				
42 11/16				2185			
42 3/4							13.75
42 13/16	108.75		578				
42 7/8		482					
42 15/16	109.00						
43	109.25		580	2195			
43 1/16							
43 1/8	109.50	484					
43 3/16	109.75		582				
43 1/4				2205			
43 5/16	110.00						
43 3/8		486	584			13.5	
43 7/16							
43 1/2	110.50			2215			

MPI Chem 500 Volume Chart

Note: The volume will vary $\pm 3\%$ due to variations in conditions prevalent during manufacture

Height (in)	Height (cm)	Imp Gal	US Gal	Liters	M ³	Imp BB	US BB
43 9/16			586				
43 5/8	110.75	488					
43 11/16	111.00						
43 3/4				2225			
43 13/16	111.25		588				14
43 7/8	111.50	490					
43 15/16							
44	111.75		590				
44 1/16				2235			
44 1/8		492					
44 3/16	112.25						
44 1/4			592				
44 5/16	112.50			2245			
44 3/8	112.75	494					
44 7/16			594				
44 1/2	113.00				2.25	13.75	
44 9/16	113.25						
44 5/8		496		2255			
44 11/16	113.50		596				
44 3/4							
44 13/16							
44 7/8	114.00						
44 15/16		498	598	2265			14.25
45	114.25						
45 1/16	114.50						
45 1/8			600				
45 3/16	114.75	500					
45 1/4				2275			
45 5/16							
45 3/8	115.25						
45 7/16							
45 1/2		502					
45 9/16	115.75						
45 5/8				2285			
45 11/16	116.00						
45 3/4	116.25						
45 13/16		504				14	
45 7/8	116.50						
45 15/16				2295			
46							
46 1/16	117.00						
46 1/8		506					
46 3/16							

MPI Chem 500 Volume Chart

Note: The volume will vary $\pm 3\%$ due to variations in conditions prevalent during manufacture

Height (in)	Height (cm)	Imp Gal	US Gal	Liters	M ³	Imp BB	US BB
46 1/4	117.50						
46 5/16				2305			14.5
46 3/8	117.75						
46 7/16	118.00						
46 1/2		508					
46 9/16	118.25						
46 5/8							
46 11/16							
46 3/4	118.75			2315			
46 13/16							
46 7/8		510					
46 15/16	119.25						
47							
47 1/16	119.50						
47 1/8	119.75						
47 3/16				2325			
47 1/4	120.00						
47 5/16		512					
47 3/8							
47 7/16	120.50						
47 1/2						14.25	
47 9/16	120.75						
47 5/8	121.00						
47 11/16				2335			
47 3/4	121.25	514					
47 13/16	121.50						
47 7/8							
47 15/16	121.75						
48							
48 1/16							
48 1/8	122.25						
48 3/16							
48 1/4	122.50						
48 5/16	122.75	516		2345			14.75